

DSS

Toll Free: 1.888.467.8812

Fax: 1.609.431.0932
sales@dss-cctv.com
www.dssdepot.com


2024 Summer



INNOVATIVE SOLUTIONS - PRESTIGIOUS SUPPORT

717 B Fellowship Road
Mt Laurel, NJ 08054

PRESORTED
STANDARD
U.S. POSTAGE PAID
CHERRY HILL, NJ
PERMIT NO. 350



WE WILL MEET ANY COMPETITORS
CURRENT PROMOTIONAL PRICING



IPC-LBVL5MPZ-AI(II)-C
5-50mm License Plate Capture



IPC-QDVR32MP-AI(II)-M-4
32MP Multi-Sensor Full Color




IPC-QBFR8MP-AI(II)-M-180
8MP 180 Panoramic Bullet



IPC-QDFR8MP-AI(II)-M-180
8MP 180 Panoramic Dome

NEW WIFI INTERCOM SYSTEM



DSS-C112-PK-W



Features

- Support IC Card, Wireless WIFI
- 7" Inch Interactive Touch Screens
- Support Live View up to 8 IPC
- Easy Configuration
- Support SIP 2.0
- Integration with other SIP Devices
- Interactive with Indoor Station or APP
- PoE, 3 Year Warranty
- DC 12V, 2A

NEW WEBSITE

NEW Resources · NEW Look · SAME Products You Love

WWW.DSSDEPOT.COM



New Release Products

AVAILABLE RIGHT NOW!

HD 12MP PERFORMANCE AI+ AUDIO IPC

Features

- 1/2.3 Progressive CMOS 3.6MM Lens
- 12MP (4096x3072)
- Metal, Weather Proof, IP66
- 100 Ft. Night Vision
- DWDR, 3D DNR, BLC, ICR 3 Axis
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 500mA



IPC-QDFR12MP-TD-AI-S

IPC-QBFR12MP-AI-S

NEW 4K AI NON POE NVR



Features

- H.265, H.264
- Up to 8MP Resolution Recording
- Max 112 Mbps Bandwidth
- HDMI up to 4K, VGA up to 1080P
- Motion Detection, 24/7, Smart Recording
- Cloud P2P Connection, 1ch Cloud Back Up
- Alarm in and out, Two Way Audio, RS485, E-SATA
- 1 USB 3.0 for Backup, 1 USB 2.0 for Mouse Control
- 1 SATA for 8ch up to 8TB, 2 SATA for 16ch up to 16TB
- 3 Year Warranty
- Supports Onvif, PSIA, CGI
- AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

8CH AI NVR
Model: NVR-6108

16CH AI NVR
Model: NVR-6216

NEW BLUE JAY SMART POE SWITCH




DSS-POE-104-BJ
4 Ch Smart PoE Switch
Real-Time Status Notification
2 Priority Ports Up to 60W



DSS-POE-108-BJ
8 Ch Smart PoE Switch
Real-Time Status Notification
4 Priority Ports Up to 60W

Colorful Series Full Color Camera



5MP Fixed IP Camera
Wide Angle 2.8MM, Built-in Mic
Warm Light Full Color
80 Ft. Color Vision



8MP Fixed IP Camera
Wide Angle 2.8MM, Built-in Mic
Warm Light Full Color
80 Ft. Color Vision

8MP VF IP Camera
Vari-Focal 2.8-12MM
Warm Light Full Color
120 Ft. Color Vision



25X AI+ HUMAN & VEHICLE AUTO TRACKING IPC-PTZ-E25XIR2MP-C



**4X 8MP AI+ Deterrence MD PTZ
IPC-PTZ-E4XIR8MP-MD**
4K 4X AI+ IR IP PTZ 4X
Two Way Audio, Active Deterrence



NEW RJ45 CONNECTOR & TOOL



DSS-T904
Crimping Tool



DSS-C109
RJ45 CAT5E Crimp
Connector



DSS-C112
RJ45 CAT5E CAT6 Coupler



DSS-C111
RJ45 CAT6 Connector
Pass Through Type



BLUE JAY NVR

Blue Jay ECO Line 4K Blue Jay ECO NVR



ECO 8 CH NVR
Model: NVR6108

ECO 16CH NVR
Model: NVR6216

H.265, H.264 Video Compression Format		
Up to 8MP Resolution Recording, Max 112 Mbps Bandwidth		
HDMI up to 4K, VGA up to 1080P		
Motion Detection, 24/7 Continuous, Manual Schedule Recording		
P2P Connection, 2ch Cloud Back Up, Mobile App: RXCAMVIEW		
Alarm in and out, Two Way Audio, RS485, E-SATA		
1 USB 3.0 for Backup, 1 USB 2.0 for Mouse Control		
Supports Onvif, PSIA, CGI		
8CH 1 SATA, Up to 8TB MAX, 16CH 2 SATA, Up to 16TB MAX 3 Year Warranty		
AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count		

Blue Jay ECO Line 4K Blue Jay ECO POE NVR



ECO 4CH PoE NVR
Model: NVR6104P4

ECO 8 CH PoE NVR
Model: NVR6108P8

ECO 16CH PoE NVR
Model: NVR6116P16

H.265, H.264 Video Compression Format		
Up to 8MP Resolution Recording	Up to 8MP Resolution Recording	Up to 8MP Resolution Recording
Max 50 Mbps Bandwidth	Max 128 Mbps Bandwidth	Max 112 Mbps Bandwidth
HDMI Output up to 4K	VGA Output up to 1080P	HDMI Output up to 4K VGA Output up to 1080P
Motion Detection, 24/7 Continuous, Manual Schedule Recording		
P2P Connection, 2ch Cloud Back Up, Mobile App: RXCAMVIEW		
2 USB 2.0, 1 Mouse Control/1 Backup		1 USB 3.0, 2 USB 2.0
Supports Onvif, PSIA, CGI		
1 SATA, Up to 10TB MAX, 3 Year Warranty		
AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count		

Blue Jay PRO Line 4K Blue Jay AI+ PRO POE NVR



AI+ 8CH PoE NVR
Model: NVR7208P8

AI+ 16CH PoE NVR
Model: NVR9216P16

AI+ 32CH PoE NVR
Model: NVR7432P16

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count		
H.265, H.264 Video Compression Format		
Up to 12MP Resolution Recording		
Max 128 Mbps Bandwidth	Max 256 Mbps Bandwidth	Max 256 Mbps Bandwidth
8 PoE Port	16 PoE Port	16 PoE Port
HDMI up to 4K, VGA up to 1080P		
AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count		
Motion Detection, 24/7 Continuous, Smart Recording		
P2P Connection, 2ch Cloud Back Up, Mobile App: RXCAMVIEW		
Alarm in and out, Two Way Audio, RS485, E-SATA		
1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control		
2 SATA, Up to 10TB Per, 20TB Max		4 SATA, 40TB Max
Supports Onvif, PSIA, CGI		
DC 48V 96W	AC 110-240V 280W	AC 110-240V 280W





BLUE JAY AI+ PERFORMANCE NVR

64CH AI+ 4K NVR Features

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

64Ch NVR
Model: NVR-9864

- H.265, H.264 Video Compression Format
- Up to 8MP Resolution Recording
- Max 640 Mbps Bandwidth
- HDMI up to 4K, VGA up to 1080P
- Motion Detection, 24/7 Continuous, Manual Recording
- P2P Connection, 2ch Cloud Back Up
- Alarm in and out, Two Way Audio, RS485, E-SATA
- 1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control
- 8 SATA, Up to 80TB MAX, 3 Year Warranty
- Supports Onvif, PSIA, CGI,
- Dual AC 110-240V 250W 2U Case Rack Mountable



32CH AI+ PERFORMANCE POE 4K NVR Features

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

32Ch 16 POE NVR
Model: NVR-9432P16

- H.265, H.264 Video Compression Format
- Up to 12MP Resolution Recording
- Max 640 Mbps Bandwidth
- DUAL HDMI up to 4K, VGA up to 1080P
- Motion Detection, 24/7 Continuous, Manual Recording
- P2P Connection, 2ch Cloud Back Up
- Alarm in and out, Two Way Audio, RS485, E-SATA
- 1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control
- 4 SATA, Up to 72TB MAX, 3 Year Warranty
- Supports Onvif, PSIA, CGI,
- AC 110-240V 280W 1.5U Case Rack Mountable



64CH AI+ PERFORMANCE 4K NVR Features

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

64Ch NVR
Model: NVR-9008-64


- H.265, H.264 Video Compression Format
- Up to 12MP Resolution Recording
- Max 640 Mbps Bandwidth
- 4 HDMI up to 4K, HDMI 1 8K HDMI 3&4 1080P Only
- Motion Detection, 24/7 Continuous, Manual Recording
- P2P Connection, 2ch Cloud Back Up
- Alarm in and out, Two Way Audio, RS485, E-SATA
- 1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control
- 8 SATA, Up to 144TB MAX, 3 Year Warranty, RAID
- Supports Onvif, PSIA, CGI
- Dual AC 110-240V 250W 2U Case Rack Mountable



256CH AI+ PERFORMANCE 4K NVR Features

256Ch NVR
Model: NVR-9016-256

- H.265, H.264 Video Compression Format
- Up to 12MP Resolution Recording
- Max 800 Mbps Bandwidth
- 4 HDMI up to 4K, HDMI 1 8K HDMI 3&4 1080P Only
- Motion Detection, 24/7 Continuous, Manual Recording
- P2P Connection, 2ch Cloud Back Up
- Alarm in and out, Two Way Audio, RS485, E-SATA
- 1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control
- 16 SATA, Up to 192TB MAX, 3 Year Warranty
- Supports Onvif, PSIA, CGI
- Dual AC 110-240V 250W 3U Case Rack Mountable




BLUE JAY AI+ SPECIALITY IPC

5-50 Motorized Lens LPR

Features

- 1/2.7" Progressive CMOS
- 5MP 2592(H)x1944(V)
- Metal, IP67 Weather Proof
- AI License Plate Detection, SD Slot
- True WDR, 3D DNR, BLC, ICR
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 1A



IPC-LBVL5MPZ-AI(II)-C
5-50mm License Plate Capture

8MP 180 Panoramic View Two Way Audio Deterrence With Light

Features

- 8MP 3840(H)x2160(V)
- Supports H.265, H.264
- Metal Weather Proof IP67 Two Way Audio
- 90 Ft. Night Vision, Full Color
- True WDR, 3D DNR, BLC, ICR, SD Card
- 2mm Angle of view: H 180, V 90
- Onvif, PSIA, and Compliant
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty



IPC-QBFR8MP-AI(II)-M-180
8MP 180 Panoramic Bullet



IPC-QDFR8MP-AI(II)-M-180
8MP 180 Panoramic Dome

8MP 180 Dual Lens Panoramic View Two Way Audio Deterrence With Light

Features

- 8MP 5120(H)x1440(V)
- Supports H.265, H.264
- Metal Weather Proof IP67 Two Way Audio
- 100 Ft. Night Vision
- True WDR, 3D DNR, BLC, ICR, SD Card
- Dual 2.8mm Angle of view: H 180, V 90
- Onvif, PSIA, and Compliant
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty



IPC-QDFR8MP-AI(II)-M-DL
8MP Dual Lens 180 Panoramic



32MP Multi-Sensor Multi-View Full Color Warm Light

Features

- 8MP 3840(H)x2160(V) 32MP Total
- Supports H.265, H.264
- Metal Weather Proof IP67 Audio Cable
- 100 Ft. Night Vision
- True WDR, 3D DNR, BLC, ICR, SD Card
- Motorized Lens 2.8-12mm
- Onvif, PSIA, and Compliant
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty



Simplify with All-in-One: Single IP, Multi-Channel, Infinite Possibilities



IPC-QDVR32MP-AI(II)-M-4
32MP Multi-Sensor Full Color



BLUE JAY ALL DAY COLOR IPC

Colorful Series Full Color Camera

- ① **Full Color Mode** presents brilliant colorful images at 24/7 (default mode)
- ② **Day/Night Mode** provides pure black & white images
- ③ **Schedule Mode** allows to program your specific needs



5MP Blue Jay AI FULL Color IPC



Features

- 5MP 2880(H)×1620(V)
- Supports H.265, H.264
- Metal Weather Proof, IP 66, Built-in Mic
- Full Color at Night, AI Smart
- WDR, 3D DNR, BLC, ICR, SD Card
- 1/2.7" Progressive Scan CMOS
- Onvif, PSIA, and Compliant
- PoE, 3 Year Warranty
- DC 12V, 500mA



IPC-EBFR5MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
Warm Light Full Color
80 Ft. Color Vision



IPC-EDFR5MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
Warm Light Full Color
90 Ft. Color Vision

8MP Blue Jay AI FULL Color IPC



Features

- 8MP 3840(H)×2160(V)
- Supports H.265, H.264
- Metal Weather Proof, IP 66, Built-in Mic
- 100 Ft. Night Vision
- DWDR, 3D DNR, BLC, ICR, SD Card
- 1/2.7" Progressive Scan CMOS
- Onvif, PSIA, and Compliant
- PoE, 3 Year Warranty
- DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-EBFR8MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
Warm Light Full Color
80 Ft. Color Vision



IPC-EDFR8MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
Warm Light Full Color
90 Ft. Color Vision



IPC-EDVR8MPZ-WL-AI(II)-C

Vari-Focal 2.8-12MM, Audio Cable
Warm Light Full Color
120 Ft. Color Vision



IPC-EBVR8MPZ-WL-AI(II)-C

Vari-Focal 2.8-12MM, Audio Cable
Warm Light Full Color
120 Ft. Color Vision



BLUE JAY IPC

2MP Blue Jay ECO IP Camera

Features

- 2MP, 1920x1080
- Supports H.265, H.264
- Metal Weather Proof, IP 66
- True Day/Night
- DWDR, 3D DNR, BLC, ICR
- 1/3" Progressive Scan CMOS
- Onvif, PSIA, and Compliant
- PoE, 3 Year Warranty
- DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-EBFR2MP-S

Wide Angle 2.8MM
Smart IR, Built-In MIC
100 Ft. Night Vision



IPC-EDFR2MP-S

Wide Angle 2.8MM
Smart IR, Built-In MIC
100 Ft. Night Vision



IPC-EDVR2MPZ-C

Motorized 2.8-12MM
Smart IR, Audio Cable
120 Ft. Night Vision

5MP Blue Jay ECO IP Camera

Features

- 5MP 2592(H)×1944(V)
- Supports H.265, H.264
- Metal Weather Proof, IP 66
- True Day/Night
- DWDR, 3D DNR, BLC, ICR
- 1/2.7" Progressive CMOS
- Onvif, PSIA, and Compliant
- PoE, 3 Year Warranty
- DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-EDFR5MP-TD-S

IPC-EDFR5MP-TD-S-B

Wide Angle 2.8MM
Smart IR Built-in MIC
100 Ft. Night Vision



IPC-EBFR5MPEX

Wide Angle 2.8MM
120 Ft. Night Vision



IPC-EBFR5MP-S

Wide Angle 2.8MM
Smart IR Built-in MIC
100 Ft. Night Vision



IPC-FIS-5MP-C

360 Fish Eye Mode
1.1MM 30 Ft. Night Vision
Mic & Speaker IP66 SD Card
Audio Cable



IPC-EBVR5MPZ-C

Motorized 2.8-12MM
Smart IR, Audio Cable
120 Ft. Night Vision




IPC-EDVR5MP-C

Vari-Focal 2.8-12MM
Smart IR, Audio Cable
120 Ft. Night Vision



IPC-EDVR5MPZ-C

Motorized 2.8-12MM
Smart IR, Audio Cable
120 Ft. Night Vision



DSS-MIC-IP31-C

WORKS WITH ANY IPC
WITH Audio Cable (-C)

Blue Jay Specialty IP Camera



IPC-PIN-2MP

Pin Hole IP Camera

Features

- 1/2.8" Progressive CMOS
- 2MP 1920(H)×1080(V)
- Metal, Indoor Only
- True Color Starlighting
- 120 dB WDR, 3D DNR, BLC, ICR
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 500mA



IPC-ECB2MP-M

WiFi PIR Two Way Audio

Features

- 1/2.8" Progressive CMOS
- 2MP 1920(H)×1080(V)
- Plastic, Indoor Only
- Two Way Audio, PIR, WiFi, SD up to 256gb
- WDR, 3D DNR, BLC, ICR
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 500mA



IPC-LBVL5MPZ-AI(II)-C

5-50mm License Plate Capture

Features

- 1/2.7" Progressive CMOS
- 5MP 2592(H)×1944(V)
- Metal, IP67 Weather Proof
- AI License Plate Detection, SD Slot
- WDR, 3D DNR, BLC, ICR
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 1A

BLUE JAY PERFORMANCE IPC



AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

PERFORMANCE TRUE COLOR STARLIGHTING 5MP AI II IPC H265+ WDR

Features

- 1/2.8 Progressive CMOS
- 5MP (2592x1944)
- Metal, Vandal/Weather Proof, IP67
- True Color at Night Starlighting
- True WDR, 3D DNR, BLC, ICR 3 Axis
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-QBFR5MPWL-AI(II)-M

Two Way Audio Mic
SD Slot up to 256GB
White Light, Deterrence



IPC-EDF5MP-IR-AI(II)-S

5MP 2.8MM Lens
Smart IR, Vandal Proof
100 Ft. Night Vision
Built-in MIC



IPC-QDFR5MP-TD-AI(II)-S(White)
IPC-QDFR5MP-TD-AI(II)-SB(Black)

5MP 2.8MM Lens, 100 Night Vision, Mic



IPC-QBFR5MP-AI(II)-S

5MP 2.8MM Lens, 100 Night Vision, Mic



DFRJB-VDW

Junction Box for EDfRxMP-AI-II



IPC-QDFR5MP-AI(II)-C

Vandal Proof Dome
AI II, SD Card
Audio Cable



DFRWM-VDW

Wall Mount for EDfRxMP-AI-II



DFR-FCM-VD

Flush Mount for EDfRxMP-AI-II



IPC-EBVL5MPZ-AI(II)-C

Motorized 5-50MM
Smart IR, SD Slot up to 256GB
250 Ft. Night Vision, Audio Cable

PERFORMANCE TRUE COLOR Starlighting AI II 4K POE IPC

Features

- 1/2.5 Progressive CMOS
- 8MP (3840x2160)
- Metal, Vandal/Weather Proof, IP67
- True Color at Night Starlighting
- True WDR, 3D DNR, BLC, ICR 3 Axis
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-QBFR8MP-AI(II)-S

Wide Angle 2.8MM
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-QDFR8MP-TD-AI(II)-S(White)
IPC-QDFR8MP-TD-AI(II)-SB(Black)

Wide Angle 2.8MM
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-EBFR8MPWL-AI(II)-M

Two Way Audio Mic
SD Slot up to 256GB
White Light, Deterrence



IPC-EDFR8MP-AI(II)-C

Wide Angle 2.8MM
Vandal Proof, SD Card
100 Ft. Night Vision, Audio Cable



IPC-QDVR8MPZ-AI(II)-C

Motorized Lens 2.8-12MM
Smart IR, AI-II, SD up to 256GB
120 Ft. Night Vision



IPC-QBVR8MPZ-AI(II)-C

Motorized Lens 2.8-12MM
Smart IR, AI-II, SD up to 256GB
120 Ft. Night Vision



IPC-FIS-8MP-S

9MP Fish Eye IPC



IPC-EDFR8MPWL-AI(II)-M

Two Way Audio Mic
SD Slot up to 256GB
Warm Light, Deterrence

NEW 12MP PERFORMANCE TRUE COLOR Starlighting AI II POE IPC

Features

- 1/2.3 Progressive CMOS 3.6MM Lens
- 12MP (4096x3072)
- Metal, Weather Proof, IP66
- True Color at Night Starlighting
- DWDR, 3D DNR, BLC, ICR 3 Axis
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 500mA



IPC-QDFR12MP-TD-AI-S

3.6MM Lens
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-QBFR12MP-AI-S

3.6MM Lens
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-FIS-12MP-M

12MP Fish Eye IPC





Hassle Free P2P
NO MORE PORT FORWARDING,
NO MORE DDNS AND STATIC IP NEEDED

NDAA
Compliant



IP PACKAGE



2MP IP Package

4 IP 2MP Camera Package



IP-DFR2MP4PK1TW **IP-BFR2MP4PK1TW**
Dome Camera Package Bullet Camera Package

8 IP 2MP Camera Package



IP-DFR2MP8PK1TW **IP-BFR2MP8PK1TW**
Dome Camera Package Bullet Camera Package

16 IP 2MP Camera Package



IP-DFR2MP16PK2TW **IP-BFR2MP16PK2TW**
Dome Camera Package Bullet Camera Package

5MP IP Package

4 IP Camera Package



IP-DFR5MP4PK1TW **IP-BFR5MP4PK1TW**
Dome Camera Package Bullet Camera Package

8 IP Camera Package



IP-DFR5MP8PK1TW **IP-BFR5MP8PK1TW**
Dome Camera Package Bullet Camera Package

16 IP Camera Package



IP-DFR5MP16PK1TW **IP-BFR5MP16PK1TW**
Dome Camera Package Bullet Camera Package

COMPATIBLE CAMERAS IPC-ExFRxMP-S IPC-EBFR5MPEX IPC-xDFRxMP-TD-S IPC-EBFRxMPWL-AI(II)-M IPC-ExFRxMP-AI-S-WL IPC-QBFR12MP-AI-S IPC-QDFR12MP-TD-AI-S BFRt-xMPW28 DFRT-xMPW28-S BVRT-xxW-xx IPC-xBVR8MPZ-AI(II)-C IPC-EBVR5MPZ-C IPC-EBVR8MPZ-WL-AI(II)-C DFRT-xxPW-WL28-S IPC-QBFR8MP-AI(II)-M-180

DFRJBW-UW	DFRWM-UW	DFRCM-UW	IPCTVI-CMB-U	IPCTVI-PMB-U
JUNCTION BOX	WALL MOUNT BRACKET	CEILING MOUNT BRACKET	UNIVERSAL BRACKET THAT WORKS WITH CAMERAS LISTED	
DVRJBW-UW	DVRWM-UW	DVRCM-UW	IPCTVI-CMB-U	IPCTVI-PMB-U

COMPATIBLE CAMERAS IPC-EDVR5MP-C IPC-EDVR5MPZ-C IPC-xDVR8MPZ-AI(II)-C IPC-xBVL5MPZ-AI(II)-C IPC-EDVR8MPZ-WL-AI(II)-C DVRT-xxPW DFLT-5MPW28 DFLT-4KW28 IPC-QDFR8MP-AI(II)-M-180 IPC-QDFR10MP-AI(II)-M-DL

WIRELESS BATTERY SYSTEM



- 
 600ft Wireless Range
- 
 Thermo-Sense AMD
- 
 Lithium Ion Battery
- 
 IP66 Weatherproof
- 
 Infrared Night Vision
- 
 Metal Exterior
- 
 Two-Way Audio
- 
 Easy Installation



4K 2 Wireless Battery Bullet IP Camera Package

Features

- 1x 8CH 4K Wireless NVR with 1TB
- 2x 4K Wireless Battery IP Camera
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision



IP-BFR4K2PK-W

4K 4 Wireless Battery Bullet IP Camera Package

Features

- 1x 8CH 4K Wireless NVR with 1TB
- 4x 4K Wireless Battery IP Camera
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision



IP-BFR4K4PK-W

4K Wireless Battery Bullet IP Camera

Features

- 8MP 4K Resolution
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision
- Only Works with Wireless Battery System



IPC-BFR4K-W

4K 2 Wireless Battery Bullet IP Camera Pack

Features

- 8MP 4K Resolution
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision
- Only Works with Wireless Battery System



IPC-BFR4K2-W



IP-BFR4K-CC
BATTERY CHARGER



IP-BFR4K-BP
Battery Pack for Wireless Camera



IP-BFR4K-SP
Solar Panel for Wireless Camera



IP-BFR4K-AE
Antenna Extension Cable for Wireless Camera

IP VIDEO INTERCOM

Answer Your Door from Anywhere




- Get real-time notifications and unlock the door for the visitors on your smartphone wherever you are.

DSS-C112-PK-W

1 Door Wireless WIFI Video Intercom Kit

Features

- Support IC Card, Wireless WIF
- 7" Inch Interactive Touch Screens
- Support Live View up to 8 IPC
- 2MP, IP 65
- Support SIP 2.0, Easy Configuration
- Integration with other SIP Devices
- Interactive with Indoor Station or APP
- PoE, 3 Year Warranty
- DC 12V, 2A



UC101-IC
USB Card Issuer

C112-R

1 Button Door Station



C112-W

1 Button WIFI Station



S213M-2/S

2 Buttons Door Station



S213M-5/S

5 Buttons Door Station



Features E217-W

- SIP Indoor Station
- 7" Inch Interactive Touch Screens
- Support Live View up to 8 IPC
- Two Way Audio
- Door Station REQUIRED
- PoE, 3 Year Warranty
- DC 12V, 2A

Features


- Support IC Card
- Multi-button SIP Video Door Phone
- Silver Aluminum Panel Surface Mount
- 2MP, IP 65, Silver Aluminum Panel
- 2 Output Relay for Door Opener
- Integration with other SIP Devices
- Indoor Station REQUIRED
- PoE, 3 Year Warranty
- DC 12V, 2A



DS06
Desk Stand for Monitor



RH01
Rain Cover Surface Mount



BLUE JAY DVR

NDA
Compliant



5MP LITE HYBRID TVI DVR SUPPORTS TVI, AHD, CVI, ANALOG, IP



Features

- H.265/H.264+/H.264 Encoding for Main
- True Hybrid Supports HD-TVI, IP, AHD, CVI, Analog
- 5MP Lite(2.5MP)/1080P Recording, 1080P Lite Real Time
- HDMI up to 4K(16ch) and VGA Output up to 1080P
- Long Distance Transmission Over Coax Cable
- Smart VCA, Motion Detection Recording Playback
- 2 USB, 1 Mouse Control/1 Backup
- Two Way Audio, 1 STAT Up to 8TB MAX
- P2P, Supports Third Party Cloud Storage
- Alarm In & Out, Two Way Audio, 4ch Audio
- Space Saver Mini Case, 3 Year Warranty

LHDVR0404-5MPM

4CH Synchronized Playback
Up to 4K & 6CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

LHDVR0804-5MPM

8CH Synchronized Playback
Up to 4K & 12CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

QHDVR1604-5MPM

16CH Synchronized Playback
Up to 4K & 24CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

4K HYBRID TVI DVR SUPPORTS TVI, AHD, CVI, ANALOG, IP



Features

- H.265/H.264+/H.264 Encoding for Main
- 8MP/5MP/4MP/3MP/2MP/720p HD-TVI, Analog AHD, IP Support
- True Hybrid Supports HD-TVI, IP, AHD, CVI, Analog
- Up to 4K 8MP Recording Resolution
- HDMI up to 4K(16ch) and VGA Output up to 1080P
- Long Distance Transmission Over Coax Cable
- Smart VCA, Motion Detection Recording Playback
- 2 USB, 1 Mouse Control/1 Backup
- Two Way Audio, Alarm In & Out
- 4/8/16ch Audio for 4/8/16ch DVR
- P2P, Supports Third Party Cloud Storage
- 1U Case Rack Mountable, 3 Year Warranty

LHDVR0404-4K-AI

4CH HD 4K TVI TRIBRID DVR
1 SATA UP TO 8 TB
Up to 4K & 6CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

LHDVR0808-4K-AI

8CH HD 4K TVI TRIBRID DVR
2 SATA UP TO 16 TB
Up to 4K & 12CH IPC
HDMI up to 4K& VGA up to 1080P
8ch Audio

LHDVR1616-4K-AI

16CH HD 4K TVI TRIBRID DVR
2 SATA UP TO 20 TB
Up to 4K & 8CH IPC
HDMI up to 4K& VGA up to 1080P
16ch Audio

32CH TVI DVR SUPPORTS MAX TVI, AHD, CVI, ANALOG



Features

- H.264+/H.264 Encoding for Main
- Hybrid Supports HD-TVI, AHD, CVI, Analog
- 5MP Lite(2.5MP)/1080P Recording, 1080P Lite Real Time
- Dual HDMI up to 4K(16ch) and VGA Output up to 1080P
- Long Distance Transmission Over Coax Cable
- Smart VCA, Motion Detection Recording Playback
- 2 USB, 1 Mouse Control/1 Backup
- Two Way Audio, 4 SATA Up to 40TB MAX
- P2P, Supports Third Party Cloud Storage
- Alarm In & Out, Two Way Audio, 8ch Audio
- 1.5U Case Rack Mountable, 3 Year Warranty

QHDVR3208-5MPM-AI

32CH HD 5MP TVI TRIBRID DVR
4 SATA UP TO 40 TB
Up to 5MP & 4CH IP Ch
HDMI up to 4K& VGA up to 1080P
8ch Audio



TVI CAMERA

2MP TVI DVR ECO LITE



DFRT-1080PB28-S
(Black)



DFRT-1080PW28-S
(White)



BFRT-1080PB28
(Grey)



BFRT1080PW28
(White)



DVRT-1080PB
(Black)



DVRT-1080PW
(White)



Features

4 IN 1

- 1/2.7 Progressive CMOS
- 2 MP Resolution, 1920x1080
- 4in1, Comp with 2MP TVI, Analog, AHD, CVI
- UTC OSD, 3D DNR, Smart IR, Built in Mic
- 2.8mm Wide Fixed Lens, Audio MIC
- 18 Built in IR LED (75 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

Features

4 IN 1

- 1/2.7 Progressive CMOS
- 2 MP Resolution, 1920x1080
- 4in1, Comp with 2MP TVI, Analog, AHD, CVI
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8mm Wide Fixed Lens
- 1pc EXIR (120 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

Features

4 IN 1

- 1/2.7 Progressive CMOS
- 2 MP Resolution, 1920x1080
- 4in1, Comp with 2MP TVI, Analog, AHD, CVI
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Vari-Focal Lens
- 40 Built in IR LED (75 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

SPY COVERT CAMERA



SP101-1080P
Fake Smoke
Detector Camera



SP103-5MP
5MP Pinhole Camera

Features


- 1/2.8 SONY EXMOR CMOS
- Dual Video Output, 1080P TVI/Analog
- OSD, 3D DNR, Smart IR, DWDR over Coax
- 3.7mm Fixed Lens
- Indoor Night Vision up to 50ft
- 2 Year Warranty
- DC 12V, 500mA

Full Color TVI Camera

Regular IR



Full Color Light



DFRT-1080PW-WL28-S
2MP 2.8mm True Color TVI



Features

- 1/2.9" Progressive CMOS
- 2MP 1920(H)×1080(V)
- Metal, IP66 Weather Proof
- Warm Light FULL Color, IR Light
- DWDR, 3D DNR, BLC, ICR, MIC Audio
- UTC OSD, Supports TVI CVI AHD Analog
- 3 Year Warranty
- DC 12V, 500mA

DFRT-5MPW-WL28-S
5MP 2.8mm True Color TVI



Features

- 1/2.7" Progressive CMOS
- 5MP 2592(H)×1944(V)
- Metal, IP66 Weather Proof
- Warm Light FULL Color, IR Light
- 3D DNR, BLC, ICR, MIC Audio
- UTC OSD, Supports TVI CVI AHD Analog
- 3 Year Warranty
- DC 12V, 500mA



5MP Fake Motion
Detector Camera with
Night Vision

Features

- 1/2.7" Progressive CMOS
- 8MP 3872(H)×2180(V)
- Metal, IP66 Weather Proof
- 3D DNR, BLC, ICR, MIC Audio
- Warm Light FULL Color, IR light
- UTC OSD, Supports TVI CVI AHD Analog
- 3 Year Warranty
- DC 12V, 500mA



DFRT-4KW-WL28-S
4K 2.8mm True Color TVI

TVI CAMERA



5MP HD-TVI CAMERA

BFRT-5MPW28-S
(White)

BFRT-5MPB28
(Grey)



Features

- 1/2.8 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI and 4MP TVI
- UTC OSD, 3D DNR, Smart IR, Built in Mic
- 2.8mm Wide Fixed Lens
- 1pc EXIR (120 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

DFRT-5MPB28-S
(Black)

DFRT-5MPW28-S
(White)



Features

- 1/2.8 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI and 4MP TVI
- UTC OSD, 3D DNR, Smart IR, Built in Mic
- 2.8mm Wide Fixed Lens
- 18 Built in IR LED (75 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

DVRT-5MPB
(Black)

DVRT-5MPW
(White)



Features

- 1/2.8 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI and 4MP TVI
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Vari-Focal Lens
- 40 Built in IR LED (110 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A



DFLT-5MPW28
(White)

Features

- 1/2.7 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI, 4MP TVI Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8mm Wide Fixed Lens
- 1 EXIR LEDs, (170 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A



BVRT-5MPW
(White)

Features

- 1/2.7 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI, 4MP TVI Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Vari-Focal Lens
- 120 Ft. Night Vision
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A



BVL-5MPW-Z
(White)

Features

- 1/2.7 Progressive CMOS
- 5MP Resolution, 2592x1944
- Compatible with 5MP TVI AHD Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 5-50mm Motorized Vari-Focal Lens
- 160 Ft. Night Vision
- Metal/IP 66 Weather Proof
- Starlight True Day/Night
- 3 Year Warranty
- DC 12V, 2A



DVRT-5MPW-Z
(White)

Features

- 1/2.8 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI, 4MP TVI Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Motorized Vari-Focal Lens
- 40 Built in IR LED (110 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A



BVRT-5MPW-Z
(White)

Features

- 1/2.7 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI, 4MP TVI Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Motorized Vari-Focal Lens
- 120 Ft. Night Vision
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A



DSS-TESTER-TVIIP

Features

- TVI IP Tester with 4 inch Screen
- Compatible with TVI IP 2MP 5MP 4K
- PTZ Control, Wifi, PoE, UTP
- Built in Battery
- Audio in, Touch Screen
- Competible with IPC via Onvif
- Cable Connection Testing
- Rechargeable Battery
- 2 Year Warranty
- Micro USB Charger

NDA
Compliant



TVI CAMERA



5MP


VS

4K

4K 8MP HD-TVI CAMERA

BFRT-4KW28
(White)

BFRT-4KB28
(Grey)



Features

- 1/2.8 Progressive CMOS
- 8 MP Resolution, 3840x2160
- Compatible with 4K, TVI, CVI, and AHD
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8mm Wide Fixed Lens
- 1pc EXIR (120 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

DFRT-4KB28-S
(Black)

DFRT-4KW28-S
(White)



Features

- 1/2.8 Progressive CMOS
- 8 MP Resolution, 3840x2160
- Compatible with 4K, TVI, CVI, and AHD
- UTC OSD, 3D DNR, Smart IR over Coax
- 2.8mm Wide Fixed Lens, MIC Audio over Cax
- 18 Built in IR LED (75 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA



DVRT-4KB
(Black)

DVRT-4KW-S
(White)



Features

- 1/2.8 Progressive CMOS
- 8 MP Resolution, 3840x2160
- Compatible with 4K, TVI, CVI, and AHD
- UTC OSD, 3D DNR, Smart IR over Coax
- 2.8-12mm Vari-Focal Lens
- 40 Built in IR LED (110 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A



DFLT-4KW28
(White)

Features

- 1/2.8 Progressive CMOS
- 8 MP Resolution, 3840x2160
- Compatible with 4K, TVI, CVI, and AHD
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8mm Wide Angle Fixed Lens
- 1 EXIR LEDs, (130 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA



BVRT-4KW-S
(White)

Features

- 1/2.8 Progressive CMOS
- 8 MP Resolution, 3840x2160
- Compatible with 4K, TVI, CVI, and AHD
- UTC OSD, 3D DNR, Smart IR, over Coax
- 2.8-12mm Vari-Focal Lens
- 40 Built in IR LED (110 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A

PTZ CAMERA

NDA
Compliant



5X PTZ Camera



TVIPTZ-4XIR

2MP TVI 4X Mini PTZ

TVIPTZ-4XIR5MP

5MP TVI 4X Mini PTZ

IPC-PTZ-E4XIR4MP-M

4MP IP 4X Mini PTZ

Features

2.5" Mini Night Vision IR PTZ Camera

5x Zoom, 2.7-13MM

1 Array IR LED Night Vision Up to 70 Ft

Pan Range 355°, Speed 0-25° /S

Tilt Range 0° -90°, Speed 0-20° /S

Working Temp -4 to 149 F

Built in Surge and Lightning Protection

Weather Proof Indoor and Outdoor use IP66



PTZ-4XJB Junction Box



4XWM Wall Mount Bracket

E4X4MP-JBW Junction Box



E4X4MP-WMW Wall Mount Bracket

20x 5-90MM IR Night Vision PTZ Features

4.5" Mini Night Vision IR PTZ Camera

20x Zoom, 5-90mm 63.2 ~ 3.9°

6 Array IR LED Night Vision Up to 200 Ft

Pan Range 360° Speed 0-25° /S

Tilt Range 0° -90° Speed 0-20° /S

4 patrols, up to 32 presets per patrol

Pattern / Pan Scan / Tilt scan / Random scan / Frame scan

3D DNR, Backlight Compensation, WDR, Auto Focus

Built in Surge and Lightning Protection

Weather Proof Indoor and Outdoor use IP66

Working Temp -4 to 158 F



Available in: Wall/Ceiling Mount

TVIPTZ-20XPTZ

2MP TVI 20X Zoom CoC 24V

TVIPTZ-20XPTZ5MP

5MP TVI 20X Zoom CoC 24V

4x 4K IP PTZ Two Way Audio Deter- rence Full Color



IPC-PTZ-E4XIR8MP-MD

4K 4x Two Way Audio Deterrence Full
Color PTZ

Features

4" Mini 4x Two Way Audio Deterrence PTZ

4X Zoom, 2.8-12mm 113° to 31.4°

IR Distance: up to 100 ft

8 MP Resolution, 3840x2160

Pan Tilt Range 360° Speed 0-45° /S

Performance AI+, Human & Vehicle Detection, Face,

Auto Tracking Human & Vehicle

3D DNR, Backlight Compensation, DWDR, Auto Focus

Built in MIC&Speaker, Red Blue Flashing Light, SD 256GB

Onvif IP66 Weather Proof PoE H.265

Working Temp -22 to 149 F

25x Auto Tracking PTZ

IPC-PTZ-E25XIR2MP-C

2MP IP 25X Zoom PoE
AUTO TRACKING

Features

5" Mini 25x AUTO TRACKING PTZ

25X Zoom, 5-50mm 56.9° to 2.9°

IR Distance: up to 300 ft

2 MP Resolution, 1920x1080

Pan Tilt Range 360° Speed 0-80° /S

Performance AI+, Human & Vehicle Detection, Face,

4 patrols, up to 32 presets per patrol

3D DNR, Backlight Compensation, 120 dBWDR, Auto Focus

SD Card Up to 256GB, Alarm in&out, Audio Cable, Reset

Onvif IP66 Weather Proof PoE H.265

Working Temp -22 to 149 F



33x NIGHT VISION PTZ CAMERA

Features

Pan Range 360° Speed 0-25° /S

Tilt Range 0° -90° Speed 0-20° /S

Pattern/Pan Scan/Tilt scan/Random scan/Frame scan

3D DNR, Backlight Compensation, WDR, Auto Focus

Built in Surge and Lightning Protection

Weather Proof Indoor and Outdoor use IP66

Supports 220 Presets

Supports 8 Patrols, Each Patrol Up to 32 Presets



Mode # TVI-PTZ-36XIR2MPW

36X TVI PTZ 2MP, 24V
Night Vision Up to 300Ft

HDTVI

Model # IPC-PTZ-L33XIR5MP-C

33X IP PTZ 5MP, AUTO TRACKING
Night Vision Up to 450Ft

HDIP



TVI PACKAGE

Cable Not Included



2MP 4 Bullet PK

BFRT-4PK1TW2MP
(White Color)
BFRT-4PK1TB2MP
(Gray Color)

- 1x 4CH 5MP Blue Jay TVI DVR with 1TB
- 4x Bullet 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 4 Splitter



5MP 4 Bullet PK

BFRT-4PK1TW5MP
(White Color)
BFRT-4PK1TB5MP
(Gray Color)

- 1x 4CH 5MP Blue Jay TVI DVR with 1TB
- 4x Bullet 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 4 Splitter



Cable Not Included



2MP 4 Dome PK

DFRT-4PK1TW2MP
(White Color)
DFRT-4PK1TB2MP
(Black Color)

- 1x 4CH 5MP Blue Jay TVI DVR with 1TB
- 4x Dome 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 4 Splitter



5MP 4 Dome PK

DFRT-4PK1TW5MP
(White Color)
DFRT-4PK1TB5MP
(Black Color)

- 1x 4CH 5MP Blue Jay TVI DVR with 1TB
- 4x Dome 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 4 Splitter

Cable Not Included



2MP 8 Bullet PK

BFRT-8PK2TW2MP
(White Color)
BFRT-8PK2TB2MP
(Gray Color)

- 1x 8CH 5MP Blue Jay TVI DVR with 2TB
- 8x Bullet 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 8 Splitter



5MP 8 Bullet PK

BFRT-8PK2TW5MP
(White Color)
BFRT-8PK2TB5MP
(Gray Color)

- 1x 8CH 5MP Blue Jay TVI DVR with 2TB
- 8x Bullet 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 8 Splitter

Cable Not Included



2MP 8 Dome PK

DFRT-8PK2TW2MP
(White Color)
DFRT-8PK2TB2MP
(Black Color)

- 1x 8CH 5MP Blue Jay TVI DVR with 2TB
- 8x Dome 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 8 Splitter



5MP 8 Dome PK

DFRT-8PK2TW5MP
(White Color)
DFRT-8PK2TB5MP
(Black Color)

- 1x 8CH 5MP Blue Jay TVI DVR with 2TB
- 8x Dome 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 1x Power Supply with 1 to 8 Splitter

Cable Not Included



2MP 16 Bullet PK

BFRT-16PK4TW2MP
(White Color)
BFRT-16PK4TB2MP
(Gray Color)

- 1x 16 CH 5MP Blue Jay TVI DVR with 4TB
- 16x Bullet 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 2 x Power Supply with 2, 1 to 8 Splitter



5MP 16 Bullet PK

BFRT-16PK4TW5MP
(White Color)
BFRT-16PK4TB5MP
(Gray Color)

- 1x 16 CH 5MP Blue Jay TVI DVR with 4TB
- 16x Bullet 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 2 x Power Supply with 2, 1 to 8 Splitter

Cable Not Included



2MP 16 Dome PK

DFRT-16PK4TW2MP
(White Color)
DFRT-16PK4TB2MP
(Black Color)

- 1x 16 CH 5MP Blue Jay TVI DVR with 4TB
- 16x Dome 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 2 x Power Supply with 2, 1 to 8 Splitter



5MP 16 Dome PK


DFRT-16PK4TW5MP
(White Color)
DFRT-16PK4TB5MP
(Black Color)

- 1x 16 CH 5MP Blue Jay TVI DVR with 4TB
- 16x Dome 2.8MM Fixed Lens Camera
- 75Ft Night Vision, Weather Proof
- 2 x Power Supply with 2, 1 to 8 Splitter

WIRELESS PANEL



Cost-Effective, High-Performance
Compact and Versatile Design
Powerful Integrated Antenna



Point to Point Wireless Connection to Help Tie Distant Cameras to the Network for Viewing



Each Can be Used as Transmitter or Receiver



Wireless Bridge Access Point With Easy Pair Function Work with W58LEZ-NGB



DSS-W58LEZ-N

Distance	3 Miles Point to Point
Throughput	300+ Mbps
Frequency	5.8 Ghz
Processor	Qualcomm Atheros AR9342
Gain	14 dBi
Network	10/100 Ethernet Port
Security	WEP, WPA, WPA2, 802.1x
Power	24V PoE, DC 12V 1A
Weight	10.60 Oz
Operating Temperature	(-22 to 167 F)
Transmission Angle	60 Degree
Power Consumption	5.5W

GIB Wireless Bridge Access Point With Easy Pair Function Work with W58LEZ-N




DSS-W58LEZ-NGB


Distance	5 Miles Point to Point
Throughput	1000+ Mbps
Frequency	5.8 Ghz
Processor	Qualcomm Atheros AR9342
Gain	16 dBi
Network	10/100/1000 Ethernet Port
Security	WEP, WPA, WPA2, 802.1x
Power	24V PoE, DC 12V 1A
Weight	10.60 Oz
Operating Temperature	(-22 to 167 F)
Transmission Angle	60 Degree
Power Consumption	5.5W

ACCESSORIES

SURVEILLANCE GRADE HDD

DSS-1TB		Surveillance Grade HDD 1TB
DSS-2TB		Surveillance Grade HDD 2TB
DSS-3TB		Surveillance Grade HDD 3TB
DSS-4TB		Surveillance Grade HDD 4TB
DSS-6TB		Surveillance Grade HDD 6TB
DSS-8TB		Surveillance Grade HDD 8TB
DSS-10TB		Surveillance Grade HDD 10TB

CCTV POWER SUPPLY

DSS-PX-4P5A		12VDC/5Amps 4 Ports PTC Output CCTV Distributed Power Supply Box
DSS-PX-9P10APTC		12VDC/10Amps 9 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed
DSS-PX-9P20APTC		12VDC/20Amps 9 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed
DSS-PX-18P20APTC		12VDC/20Amps 18 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed
DSS-PX-18P30APTC		12VDC/30Amps 18 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed
DSS-PX-32P30APTC		12VDC/30Amps 30 Ports PTC Protected Output CCTV Distributed Power Box
DSS-PA-1000		12VDC-1000mA/1AMP-Power Adapter
DSS-PA-2000		12VDC-2000mA/2AMP-Power Adapter
DSS-PA-5000		12VDC-5000mA/5AMP-Power Adapter







PoE Switch/IP Camera Power Supply

DSS-POE-101-N		1 Port 19W 10/100/1000 Mbps PoE Injector
DSS-POE-101 (60W)		1 Port 60W High Power 100/1000 Mbps PoE Injector
DSS-POE-104-N		4-Port 10/100 Mbps with GB Uplink Port Base-T GB PoE Switch
DSS-POE-108-N		8-Port 10/100 Mbps with GB Uplink Port Base-T GB PoE Switch
DSS-POE-116-SFP		16-Port 10/100 Mbps with GB Uplink Port & Fiber Connection Base-T PoE Switch
DSS-POE-124-SFP		24-Port 10/100 Mbps with GB Uplink Port & Fiber Connection Base-T PoE Switch
DSS-NS-105GB		5-Port 10/100/1000Mbps Ethernet Unmanaged Switch
DSS-NS-108GB		8-Port 10/100/1000Mbps Ethernet Unmanaged Switch
DSS-POE-104-BJ		4 Ch Smart PoE Switch Real-Time Status Notification 2 Priority Ports Up to 60W
DSS-POE-108-BJ		8 Ch Smart PoE Switch Real-Time Status Notification 4 Priority Ports Up to 60W

Professional Wire & Cable

DSS-CA-500W		500 Ft. White Professional Grade Siamese RG59/U 95% Braid 18/2 Cable
DSS-CA-500B		500 Ft. Black Professional Grade Siamese RG59/U 95% Braid 18/2 Cable
DSS-CA-1000W		1000 Ft. White Professional Grade Siamese RG59/U 95% Braid 18/2 Cable
DSS-CA-1000B		1000 Ft. Black Professional Grade Siamese RG59/U 95% Braid 18/2 Cable
DSS-NCA-1000W		1000 Ft. White CAT5E Professional Grade Network Cable
DSS-NCA-1000B		1000 Ft. Black CAT5E Professional Grade Network Cable
DSS-NCA6-1000W		1000 Ft. White CAT6 Professional Grade Network Cable
DSS-NCA-1000WSC		1000 Ft. White CAT5E Solid Copper Professional Grade Network Cable
DSS-NCA6-1000WSC		1000 Ft. White CAT6 Solid Copper Professional Grade Network Cable
DSS-PMCCAT5E-50W		50 ft Premade CAT5E Cable
DSS-PMCCAT5E-100W		100 ft Premade CAT5E Cable
DSS-PMC-100W		100 Ft. HD-TVI Premade Video & Power Cable Combo White CCTV Cable
DSS-PMC-100B		100 Ft. HD-TVI Premade Video & Power Cable Combo Black CCTV Cable
DSS-PMC-150W		150 Ft. HD-TVI Premade Video & Power Cable Combo White CCTV Cable
DSS-PMC-150B		150 Ft. HD-TVI Premade Video & Power Cable Combo Black CCTV Cable
DSS-HDMI-5		5 Ft. Premium HD HDMI Cable
DSS-HDMI-25		25 Ft. Premium HD HDMI Cable
DSS-HDMI-50		50 Ft. Premium HD HDMI Cable

DVR/NVR LOCK BOX





DSS-LB-18185		DVR/NVR Lockbox 18"x18"x5"
DSS-LB-21218		DVR/NVR Lockbox 21"x21"x8"
DSS-LB-21248		DVR/NVR Lockbox 21"x24"x8"
DSS-LB-HMA		Lock Box Horizontal Mount Bracket
DSS-LB-HMB		Lock Box Horizontal Mount Bracket
DSS-LB-VM		Lock Box Vertical Mount Bracket


ACCESSORIES

CCTV Connectors			
DSS-C101		BNC Twist-On Male Connector	
DSS-C102		BNC Compression For RG59	
DSS-C103		BNC Male Crimp-On Connector	
DSS-C104		BNC Male to RCA Female	
DSS-C105		BNC Male to RCA Male	
DSS-C106		BNC Female to RCA Male	
DSS-C107		BNC Male to 2 BNC Female	
DSS-C108		BNC Coupler Female to Female	
DSS-C109		RJ45 CAT5E Connector Pass Through Type	
DSS-C110		RJ45 CAT5E Connector NON Pass Through Type	
DSS-C111		RJ45 CAT6 Connector Pass Through Type	
DSS-C112		CAT5E and CAT6 Coupler	
DSS-C113		RJ45 CAT6 Crimp Connector NON-Pass Through	
DSS-C201		Male Power Pigtail	
DSS-C202		Female Power Pigtail	
DSS-C203		DC Male Power Connector With Clip-On Design	
DSS-C204		DC Female Power Connector With Clip-On Design	
DSS-C205S		B Connector (Blue) Outdoor Use	
DSS-C214		1 To 4 DC Power Splitter Cable (1 Female to 4 Male Pigtails)	
DSS-C218		1 To 8 DC Power Splitter Cable (1 Female to 4 Male Pigtails)	
DSS-MIC		CCTV Surveillance Microphone with Power Cable	
DSS-CLP-01		Ground-Loop Isolator Work with 1080P 5MP 8MP TVI both COAX and CAT5E Cable	

VIDEO BALUNS			
DSS-VB-104		HD-TVI Passive Video Balun Video Only	
DSS-VB-105		HD-TVI Passive Video With Power	






TVI Camera Tester			
DSS-TESTER-TV-IP		HD-TVI Video Tester, Compatible with TVI, Analog, Battery Included.	

HD LCD Monitors Brackets			
DSS-LCD-103		17-27 LCD-LED Full Motion Swivel Wall Mount Bracket	
DSS-LCD-202		40-65 LCD-LED Fixed Wall Mount Bracket	
DSS-LCD-203		32-55 LCD-LED Full Motion Wall Mount Bracket	
DSS-LCD-204		32-70 LCD-LED Full Motion Wall Mount Bracket	

4K HDMI Splitter and Extender			
DSS-HDMI-102		1 to 2 HDMI Splitter, Support 3D, 2K, 4K	
DSS-HDMI-104		1 to 4 HDMI Splitter, Support 3D, 2K, 4K	
DSS-HDMI-108		1 to 8 HDMI Splitter, Support 3D, 2K, 4K	
DSS-HDMI-EXT200-4K		HDMI Extender up to 200 ft, Use CAT5E/CAT6, Support 3D, 4K	
DSS-HDMI-EXT400		HDMI Extender up to 400 ft, Use CAT5E/CAT6, Support 3D, 4K	

Network over Coax Converter			
DSS-CTN101		IP Over Coaxial Max 75 Mbps Max Distance 2000 ft Upgrade to IP Camera without run new cable	

SECURITY WARNING SIGNS & STICKERS			
DSS-STICKER		SURVEILLANCE WARNING STICKER	
DSS-SIGNS		SURVEILLANCE WARNING SIGN SMALL	
DSS-SIGNL		SURVEILLANCE WARNING SIGN LARGE	

Cable Stripping Tools			
DSS-T901		Wire Stripper for RG58/RG59/RG6/CAT3/CAT5E/CAT6	
DSS-T902		Professional BNC Compression Crimping Tool	
DSS-T903		Professional Coaxial Crimping Tool	
DSS-T904		NEW Cut Through RG45/CAT5E/CAT6 Crimping Tool	
DSS-T905		Checks RJ45 and BNC network cables. Checks up to four pairs of conductors for continuity and correct polarity	