

1080P Wireless Battery Bullet IP Camera

Model #: IPC-BFR2MP-W



Features

- 1080P Wireless Battery IP Camera
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery up to 6 Months
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision

Technical Specifications

Model No.	IPC-BFR2MP-W
Wireless Battery IP Camera Specification	
Camera	
Image sensor	1/2.7" 2MP progressive scan CMOS
Min. illumination	0.05 lux @F1.2, AGC ON, 0 lux with IR
Shutter time	1/3s ~ 1/10,000s
Lens	2.8mm@F2.0, angle of view: 92.2°
Lens mount	M12
Day & night	IR cut filter with auto switch
Digital noise reduction	3D DNR
Compression Standard	
Video compression	H.264 / MJPEG / H.264+
H.264 codec profile	Main profile
Bit rate	32 Kbps ~ 16 Mbps
Dual streams	Support
Image	
Max. Image Resolution	1920x1080 2MP
Frame rate	30fps (1920 × 1080), 30fps (1280 x 720)
Image settings	Rotate Mode, Saturation, Brightness, Contrast Sharpness
BLC	Yes, zone configurable
ROI Codec	Support
Function	
Motion Angle	Up to 115°
Motion Distance	Up to 70 Feet
Motion PIR	Thermo-Sense Motion Detection
Battery Capacity	2900mAh/ea
Battery Life	Up to 350 charges
Power Consumption	420mA(Activate) / 400μA (Sleep)
Warnings	Low Battery Warnings via app notifications
Interface	
Power Source	DC 4.2V±10%
Two way audio	Support
Speaker	Built-in, Weather Proof
Mic	Built-in, Weather Proof
Wireless	
Wireless Standards	DSSS (Direct-Sequence Spread Spectrum)
Wireless Distance	Up to 600 Ft with a clear line-of-site
General	
Operating conditions	(-22°F ~ 140 °F) humidity 95% or less (non-condensing)
Power supply	DC 4.2V±10%
Power consumption	Max. 1.8W
Weather proof rating	IP66
Housing	Metal
IR range	6 IRs, Up to 70 Ft
Dimension	5.4" x 2.9" x 3.5"
Weight	1.1 lbs

We reserve the right to modify product design and specification without notice and without incurring any obligation

For more information please contact a DSS Sales Representative

Toll Free: 1.888.467.8812 · Fax: 1.609.431.0932 · Email: sales@dss-cctv.com

www.dss-cctv.com